Northwest Science
Volume 67 (1993)
Author and Subject Index

AUTHOR entry headings are distinguished from subject entry headings by capitalization.

Alaska
  coastal marsh vegetation, Stone, 215-230
  lake trout, Burr, 78-87
  moose activity, MacCracken and Van Ballenberghe, 133 (abs41)
  subsistence hunting, Johnson, 273-276
alders (*Alnus*)
  red (*A. rubra*) and amphibians and small mammals, McComb *et al.*, 181-188
AMMIRATI, J. *see* Seidl *et al.*, 138(abs63)
amphibians
  abundance, Panik and Barrett, 135(abs52)
  amphibian communities in red alder stands, McComb *et al.*, 181-188
  in Douglas-fir stands, McComb *et al.*, 7-15
  tailed frog growth, Brown, 125(abs10)
ANDERSON, R.G. Investigations and management of Townsend's big-eared bats (*Plecotus townsendii*) in Hell's Canyon National Recreation Area. 123(abs1)
ANDERSON, S.H. *see* Rumble and Anderson, 238-245
ANTHONY, R.G. *see* Green *et al.*, 88-93
_____ *see* Isaacs *et al.*, 55-62
_____ *see* McComb *et al.*, 7-15
ANTOS, J.A. *see* Zobel and Antos, 142(abs78)
Aplodontia see mountain beaver
Armillaria
  A. ostoyae and ponderosa pines, Reaves *et al.*, 156-162
  root disease in grand fir, Parks and Filip, 136(abs53)
  root-rot in Douglas-fir, Browning and Edmonds, 37-43
ASKHAM, L.R. Developing new pesticides in a changing world. 123(abs2)
aspen (*Populus*)
  P. tremuloides on recently burned areas, Kay, 94-104
Aster
  A. curtus and human disturbance, Clampitt, 163-169
athletes
  duathlon performance variables, Soulé and Wiggins, 262-272

BARKWORTH, M.E. Five years of databasing at the Intermountain Herbarium: lessons, progress, and problems. 123(abs3)
BARRETT, S. *see* Panik and Barrett, 135(abs52)
bats
  activity and landscape, Huff *et al.*, 131(abs36)
  activity in managed forests, Erickson, 128(abs21)
  in high school projects, Perlmeter, 136(abs56)
  in managed forests, Campbell, 126(abs14)
  in old-growth redwood forests, Gellman and Zielinski, 129(abs26)
  long-term monitoring, Perkins, 136(abs55)
  research studies, Cross, 126(abs15)
  Townsend's big-eared (*Plecotus townsendii*), conservation, Schommer and Perkins, 138(abs61)
  Townsend's big-eared, hibernation, Doering and Keller, 127(abs18)
  Townsend's big-eared, management, Anderson, 123(abs1)
  Townsend's big-eared, winter activity, Bosworth and Keller, 124(abs7)
BEAMESDERFER, R.C. *see* North *et al.*, 105-111
BEATTY, J.S. *see* Martin *et al.*, 133(abs42)
BESCHTA, R.L. *see* Bohle and Beschta, 124(abs6)
biogeography
  microinvertebrates in streams, Swanger, 139(abs66)
birds
  bald eagle winter roosts, Stohlgren, 44-54
  burrowing owl diets, Green *et al.*, 88-93
  chickadees, Floyd, 128(abs24)
  Merriam's turkeys in South Dakota, Rumble and Anderson, 238-245
  nest predation, Entz *et al.*, 127(abs20)
  owls in Washington, Iverson, 132(abs37)
  peregrine falcon habitat, Dobler, 231-237
  wintering bald eagles, Isaacs *et al.*, 55-62
BISHOP, E.M., L. THOMPSON, and J. WOODWARD. Sedimentation and tectonics in the Grande Ronde graben. 123(abs4)
BLACKWOOD, J.D. Forest health issues in the Blue Mountains. 124(abs5)
BOHLE, T.S., and R.L. BESCHTA. Summer stream temperatures in the upper Grande Ronde River basin—a preliminary report. 124(abs6)
book reviews
  "Sagebrush Country", Harrod, 214
  "Wildlife Management and Subsistence Hunting in Alaska", Johnson, 273-276
BOSWORTH, W.R., and B.L. KELLER. Characteristics of winter activity in *Plecotus townsendii* in southeastern Idaho. 124(abs7)
botany
  black cottonwood phenology, Wagner, 141(abs74)
  book review of "Sagebrush Country", Harrod, 214
  bryogeography, Norris, 134(abs47)
  Carex working group, Wilson *et al.*, 142(abs77)
  clustered ladyslipper seeds, Harrod and Everett, 131(abs34)
  coastal marsh vegetation, Stone, 215-230
  computer-aided plant identification, Old, 135(abs49)
  herbarium databasing, Barkworth, 123(abs3)
  mosses in coniferous forest, Peck, 136(abs54)
  vegetation and soil patterns, Ottersberg and Youtie, 135(abs50)
  vegetation change at Mount St. Helens, Zobel and Antos, 142(abs78)
  Washington's flora, Gage and Rodman, 129(abs25)
  wetlands response to drought, Quinn, 137(abs57)
  winter annual growth, Sheley *et al.*, 139(abs65)
  see also ecology; lichens
BRADLEY, R.P. An examination of the cyst maturation period of *Giardia lamblia* using *in vitro* excystation and the fluorogenic dyes fluorescein diacetate and propidium iodide. 124(abs8)
British Columbia
  fish use of nearshore areas, Macdonald and Chang, 63-77
  stream chemistry, Whitfield *et al.*, 1-6
BROBERG, L.E. The costs of resistance to parasitism in *Aedes sierrensis*. 125(abs9)

BROWN, H.A. Stunted growth in tailed frog tadpoles (*Ascaphus*) from a subalpine population in the North Cascades. 125(abs10)
BROWNING, J.E., and R.L. EDMONDS. Influence of soil aluminum and pH on *Armillaria* root rot in Douglas-fir in western Washington. 37-43
BRYAN, T. *see* Isaacs *et al.*, 55-62
bryophytes
bryogeography, Norris, 134(abs47)
BULL, E.L. *see* Torgersen and Bull, 140(abs71)
BURR, J.M. Maturity of lake trout from eleven lakes in Alaska. 78-87
BUSSE, M.D., and W.E. HOPKINS. Plant composition and biomass response to organic matter removal in a ponderosa pine forest. 125(abs11)

California
bald eagle winter roosts, Stohlgren, 44-54
CALL, D.R., L.A. NORDSTROM, J.G. HALLETT, L.A. CAMPBELL, and M.A. O'CONNELL. Quantifying habitat fragmentation in forested landscapes. 125(abs12)
CAMPBELL, D.A., and J.P. FARLEY. Nest removal reduces reinvasion by mountain beaver (*Aplodontia rufa*). 126 (abs13)
CAMPBELL, D.L. *see* Nolte *et al.*, 251-255
CAMPBELL, L.A. Bat diversity and habitat use in managed forests. 126(abs14)
_____ *see* Call *et al.*, 125(abs12)
Canada
small mammal populations, Sullivan *et al.*, 189-195
CARSON, R.J. *see* Grumet and Carson, 130(abs31)
_____ *see* Schroeder and Carson, 138(abs62)
CHAMBERS, C.L. *see* McComb *et al.*, 181-188
CHANG, B.D. *see* Macdonald and Chang, 63-77
chickadees
nest-site differentiation, Floyd, 128(abs24)
China
small mammal populations, Sullivan *et al.*, 189-195
tree improvement, Sziklai and Fengchun, 139(abs67)
CLAMPITT, C.A. Effects of human disturbances on prairies and the regional endemic *Aster curtus* in western Washington. 163-169
CLARKE, S.E. *see* McIntosh *et al.*, 134(abs45)
Colorado
drumlinoids, Grumet and Carson, 130(abs31)
Columbia River
white sturgeon feeding ecology, McCabe *et al.*, 170-180
white sturgeon distribution, North *et al.*, 105-111
cottonwood
black (*Populus trichocarpa*) phenology, Wagner, 141(abs74)
CROSS, S.P. Some applied aspects of bat research in southern Oregon. 126(abs15)

DECHERT, T.V., and P.A. McDANIEL. Characterization of loess deposits at the INEL, Idaho. 126(abs16)
DEL MORAL, R. *see* Titus and del Moral, 140(abs70)
DENISON, W.C. Lichen responses to manipulation. 127(abs17)
DOBLER, F.C. Wintering peregrine falcon (*Falco peregrinus*) habitat utilization near Sequim, Washington. 231-237
DOERING, R.W., and B.L. KELLER. The thermal implications of roost site selection in hibernating *Plecotus townsendii*. 127(abs18)
Douglas-fir *see* pines
duathlon races
athlete performance variables, Soulé and Wiggins, 262-272

eagles
bald (*Haliaeetus leucocephalus*), winter roosts, Stohlgren, 44-54
bald, wintering habits, Isaacs *et al.*, 55-62
ecology
book review of "Sagebrush Country," Harrod, 214
coastal marsh vegetation, Stone, 215-230
prairies and human disturbance, Clampitt, 163-169
renovating vegetation, Johnson, 132(abs38)
vegetation and soil patterns, Ottersberg and Youtie, 135(abs50)
vegetation change at Mount St. Helens, Zobel and Antos, 142(abs78)
western juniper gas exchange, Miller *et al.*, 147-155
wetlands response to drought, Quinn, 137(abs57)
EDDLEMAN, L.E. *see* Miller *et al.*, 147-155
EDMONDS, R.L. *see* Browning and Edmonds, 37-43
elk (*Cervus*)
C. elaphus and *Sarcocystis* parasite, Lagerquist and Foreyt, 196-198
Roosevelt (*C. elaphus roosevelti*) habitat selection, Schroer *et al.*, 23-29
EMMETT, R.L. *see* McCabe *et al.*, 170-180
EMMINGHAM, W.H. *see* McCrimmon and Emmingham, 133(abs43)
_____ *see* Tucker *et al.*, 140(abs72)
EMMINGHAM, W.H., and G.F. TUCKER. Commercial thinning and underplanting to enhance stand structural diversity in young Douglas-fir plantations. 127(abs19)
ENTZ, R.D., M.A. O'CONNELL, and J.G. HALLETT. Nest predation in managed forests: the effect of habitat and nest location. 127(abs20)
environment
global warming, Henderson, 131(abs35)
epiphytes
biomass and litter, McCune, 133(abs44)
EPPLE, G. *see* Nolte *et al.*, 251-255
ERICKSON, J.L. Bat activity in managed forests of the southwestern Cascade range. 128(abs21)
EVERETT, R. *see* Harrod and Everett, 131(abs34)

falcons
peregrine (*Falco peregrinus*) habitat, Dobler, 231-237
FARLEY, J.P. *see* Campbell and Farley, 126(abs13)
FARR, R.A., and D.L. WARD. Fishes of the lower Willamette River, near Portland, Oregon. 16-22
FENGCHUN, Z. *see* Sziklai and Fengchun, 139(abs67)
FILIP, G.M. Role of pathogens in forest health: research perspectives. 128(abs22)
_____ *see* Parks and Filip, 136(abs53)
fish
changes in habitat, McIntosh *et al.*, 134(abs45)
chinook salmon, Groberg *et al.*, 130(abs30)
determining land-use effects, Rhodes, 142(abs79)
lake trout in Alaska, Burr, 78-87
microhabitat use, Sexauer and James, 138(abs64)
of Willamette River, Farr and Ward, 16-22
seasonal use of nearshore areas, Macdonald and Chang, 63-77
trout food habits, Urakawa and James, 141(abs73)
white sturgeon feeding ecology, McCabe *et al.*, 170-180
white sturgeon distribution, North *et al.*, 105-111
FITZNER, R.E. *see* Green *et al.*, 88-93
FLANAGAN, P. Silvicultural management of bark beetle hazard. 128(abs23)

FLOYD, A.A. Nest site differentiation by three sympatric chickadees. 128(abs24)
forests
all age management system, Oberteuffer, 134(abs48)
ants and logs, Torgersen and Bull, 140(abs71)
aspen seedlings, Kay, 94-104
bark beetle management, Flanagan, 128(abs23)
bark beetle research, Ross, 137(abs60)
bark removal of Pacific yew, Minore, 134(abs46)
bat activity, Erickson, 128(abs21)
bat diversity, Campbell, 126(abs14)
bat high school projects, Perlmeter, 136(abs56)
bat long-term monitoring, Perkins, 136(abs55)
bats and redwoods, Gellman and Zielinski, 129(abs26)
bird nest predation, Entz *et al.*, 127(abs20)
canopy gap formation, Gray and Spies, 130(abs29)
canopy lichens, Rosentreter, 137(abs59)
Douglas-fir plantations, Hansen *et al.*, 112-116
Douglas-fir stand dynamics, Tucker *et al.*, 140(abs72)
Douglas-fir thinning, Emmingham and Tucker, 127(abs19)
epiphyte biomass and litter, McCune, 133(abs44)
forest health and pathogens, Filip, 128(abs22)
forest health issues, Blackwood, 124(abs5)
forest health issues, MacCracken and O'Laughlin, 132(abs40)
frost events, McCrimmon and Emmingham, 133(abs43)
macrofungi in old growth forests, Seidl *et al.*, 138(abs63)
managing diseases, Kanaskie, 132(abs39)
mosses in coniferous forest, Peck, 136(abs54)
"new forestry" survey, Hanley and Ringgold, 131(abs33)
Oregon white oak seedlings, Hibbs and Yoder, 30-36
organic matter removal, Busse and Hopkins, 125(abs11)
quantifying habitat fragmentation, Call *et al.*, 125(abs12)
renovating vegetation, Johnson, 132(abs38)
Roosevelt elk, Schroer *et al.*, 23-29
small mammals and amphibians, McComb *et al.*, 7-15
spiders, Halaj *et al.*, 130(abs32)
spotted owl nesting habitat, Martin *et al.*, 133(abs42)
timber harvesting and streams, Gill and Froehlich, 129(abs27)
tree defoliators, Overhulser, 135(abs51)
tree improvement in China, Sziklai and Fengchun, 39(abs67)
western juniper development, Tiedemann and Klemmedson, 140(abs69)
see also lichens
FOREYT, W.J. *see* Lagerquist and Foreyt, 196-198
FROEHLICH, H.A. *see* Gill and Froehlich, 129(abs27)
frogs
tailed (*Ascaphus*), growth, Brown, 125(abs10)
fungi
Armillaria root rot, Browning and Edmonds, 37-43
macrofungi in old growth forests, Seidl *et al.*, 138(abs63)

GAGE, S., and S. RODMAN. A centenary survey of Washington's flora. 129(abs25)
GANNON, A.T. *see* Ragsdale and Gannon, 137(abs58)
GANSKOPP, D., B. MYERS, and S. LAMBERT. Black-tailed jackrabbit preferences for eight forages used for reclamation of Great Basin rangelands. 246-250
GARMAN, S.L. *see* Hansen *et al.*, 112-116
GELLMAN, S.T., and W.J. ZIELINSKI. Monitoring bat use of old growth redwood forests: preliminary results and a proposal for future work. 129(abs26)
geology
drumlinoids, Grumet and Carson, 130(abs31)
Grande Ronde graben, Bishop *et al.*, 123(abs4)
loess deposits, Dechert and McDaniel, 126(abs16)
pseudo-rock glacier, Schroeder and Carson, 138(abs62)
volcanic glass geochemistry, Hughes, 199-207
Giardia
determining viability of *G. lamblia*, Bradley, 124(abs8)
methods for detection, Thomas, 139(abs68)
GILL, R.E., and H.A. FROEHLICH. Sediment delivery to headwater stream channels following timber harvest in the upper Grande Ronde River. 129(abs27)
GLEW, K. Alpine lichen communities in Washington. 129 (abs28)
global warming
and CO_2, Henderson, 131(abs35)
GOGGANS, R. *see* Isaacs *et al.*, 55-62
GRAY, A.N., and T.A. SPIES. Microsite effect and annual change in soil moisture response to canopy gap formation. 130(abs29)
GREEN, G.A., R.E. FITZNER, R.G. ANTHONY, and L.E. ROGERS. Comparative diets of burrowing owls in Oregon and Washington. 88-93
GROBERG, W.J., B.A. MATSON, and S.D. SURBER. Intestinal chitobiase activity in hatchery and natural juvenile chinook salmon. 130(abs30)
GRUMET, N.S., and R.J. CARSON. Drumlinoids in the upper Rio Grande area, San Juan Mountains, Colorado. 130(abs31)

habitat
quantifying fragmentation, Call *et al.*, 125(abs12)
HALAJ, J., D.W. ROSS, R.R. MASON, and T.R. TORGERSEN. Population densities and structure of arboreal spider communities in northwest forest ecosystems. 130(abs32)
HALLETT, J.G. *see* Call *et al.*, 125(abs12)
_____ *see* Entz *et al.*, 127(abs20)
HANLEY, D.P., and P.C. RINGGOLD. "New Forestry" survey by nonindustrial private forest landowners. 31(abs33)
HANSEN, A.J., S.L. GARMAN, P. LEE, and E. HORVATH. Do edge effects influence tree growth rates in Douglas-fir plantations? 112-116
HARROD, R.J. Book review: "Sagebrush County: a wildflower sanctuary". 214
HARROD, R.J., and R. EVERETT. Preliminary observations on seed dispersal and seed production of *Cypripedium fasciculatum*. 131(abs34)
HAWKSWORTH, F. *see* Martin *et al.*, 133(abs42)
Hell's Canyon National Recreation Area
Townsend's big-eared bats, Anderson, 123(abs1)
HENDERSON, J.A. Does increasing CO_2 really cause global warming? 131(abs35)
HIBBS, D.E., and B.J. YODER. Development of Oregon white oak seedlings. 30-36
HINTON, S.A. *see* McCabe *et al.*, 170-180
HOPKINS, W.E. *see* Busse and Hopkins, 125(abs11)
HORVATH, E. *see* Hansen *et al.*, 112-116
HUFF, M.H., J.F. LEHMKUHL, and J.A. YOUNG. Linking bat activity with landscape-level attributes using GIS. 131(abs36)
HUGHES, R.E. Trace element geochemistry of volcanic glass from the Obsidian Cliffs flow, Three Sisters Wilderness, Oregon. 199-207

Idaho
forest health issues, MacCracken and O'Laughlin, 132 (abs40)
loess deposits, Dechert and McDaniel, 126(abs16)
Townsend's big-eared bats, Bosworth and Keller, 124(abs7)

insects
ants and logs, Torgersen and Bull, 140(abs71)
bark beetle research, Ross, 137(abs60)
bark beetles and forest management, Flanagan, 128(abs23)
Douglas-fir tussock moth and forest management, Overhulser, 135(abs51)
mosquito parasites, Broberg, 125(abs9)
western spruce budworm and forest management, Overhulser, 135(abs51)
western spruce budworm and grand fir, Parks and Filip, 136(abs53)
invertebrates
microinvertebrates in streams, Swanger, 139(abs66)
ISAACS, F.B., R. GOGGANS, R.G. ANTHONY, and T. BRYAN. Habits of bald eagles wintering along the Crooked River, Oregon. 55-62
IVERSON, W. Is the barred owl displacing the spotted owl in western Washington? 132(abs37)

JAMES, P.W. *see* Sexauer and James, 138(abs64)
_____ *see* Urakawa and James, 141(abs73)
JENKINS, K.J. *see* Schroer *et al.*, 23-29
JIN ZHEN-HAO, *see* Sullivan *et al.*, 189-195
JOHNSON, C.G. Renovating the vegetation mosaic of the Blue Mountains: restoration of ecosystems components and processes. 132(abs38)
JOHNSON, D.E. *see* Sheley *et al.*, 139(abs65)
JOHNSON, D.R. Book review: "Wildlife Management and Subsistence Hunting in Alaska". 273-276
JOHNSTON, S.R. *see* Tucker *et al.*, 140(abs72)
journals
usefulness of regional journals, Ware, 208-213
junipers (*Juniperus*)
western (*J. occidentalis*), development, Tiedemann and Klemmedson, 140(abs69)
western (*J. occidentalis*), gas exchange, Miller *et al.*, 147-155

KANASKIE, A. Management and monitoring of forest diseases. 132(abs39)
KAY, C.E. Aspen seedlings in recently burned areas of Grand Teton and Yellowstone National Parks. 94-104
KELLER, B.L. *see* Bosworth and Keller, 124(abs7)
_____ *see* Doering and Keller, 127(abs18)
KLEMMEDSON, J.O. *see* Tiedemann and Klemmedson, 140 (abs69)

ladyslipper (*Cypripedium fasciculatum*)
seed production, Harrod and Everett, 131(abs34)
LAGERQUIST, J.E., and W.J. FOREYT. Prevalence of *Sarcocystis* in elk (*Cervus elaphus*) in Oregon. 196-198
LAMBERT, S. *see* Ganskopp *et al.*, 246-250
LARSON, L.L. *see* Sheley *et al.*, 139(abs65)
LEE, P. *see* Hansen *et al.*, 112-116
LEHMKUHL, J.F. *see* Huff *et al.*, 131(abs36)
LI HELI, *see* Sullivan *et al.*, 189-195
lichens
alpine communities, Glew, 129(abs28)
biomass and litter, McCune, 133(abs44)
in forest canopy, Rosentreter, 137(abs59)
response to manipulation, Denison, 127(abs17)

MAAS, K.G. *see* Tucker *et al.*, 140(abs72)
MACCRACKEN, J.G., and J. O'LAUGHLIN. Forest health in Oregon and Idaho: ecological similarities, policy disparities. 132(abs40)
MACCRACKEN, J.G., and V. VAN BALLENBERGHE. Comparison of rumen and fecal analysis to estimate moose diets. 256-261
_____. Habitat quality and activity budgets of moose in Alaska. 133(abs41)
MACDONALD, J.S., and B.D. CHANG. Seasonal use by fish of nearshore areas in an urbanized coastal inlet in southwestern British Columbia. 63-77
mammals
black-tailed jackrabbit forage preferences, Ganskopp *et al.*, 246-250
estimating moose diets, MacCracken and Van Ballenberghe, 256-261
moose habitat and activity, MacCracken and Van Ballenberghe, 133(abs41)
mountain beaver and conspecifics, Nolte *et al.*, 251-255
mountain beaver nest removal, Campbell and Farley, 126(abs13)
Roosevelt elk, Schroer *et al.*, 23-29
small mammal communities in red alder stands, McComb *et al.*, 181-188
small mammal populations in China and Canada, Sullivan *et al.*, 189-195
small mammals in Douglas-fir stands, McComb *et al.*, 7-15
see also bats
MARTIN, S.K., J.S. BEATTY, and F. HAWKSWORTH. Forest pest relationships to spotted owl nesting habitat, eastern Cascade Range, Washington. 133(abs42)
MASON, J.R. *see* Nolte *et al.*, 251-255
MASON, R.R. *see* Halaj *et al.*, 130(abs32)
MATSON, B.A. *see* Groberg *et al.*, 130(abs30)
McCABE, G.T., R.L. EMMETT, and S.A. HINTON. Feeding ecology of juvenile white sturgeon (*Acipenser transmontanus*) in the lower Columbia River. 170-180
McCOMB, W.C., C.L. CHAMBERS, and M. NEWTON. Small mammal and amphibian communities and habitat associations in red alder stands, central Oregon Coast Range. 181-188
McCOMB, W.C., K. McGARIGAL, and R.G. ANTHONY. Small mammal and amphibian abundance in streamside and upslope habitats of mature Douglas-fir stands, western Oregon. 7-15
McCRIMMON, L.A., and W.H. EMMINGHAM. Temperature amelioration under mixed conifer shelterwoods on frost prone sites in the southern Oregon Cascades. 133(abs43)
McCUNE, B. Epiphyte biomass estimated from litter in *Pseudotsuga-Tsuga* forests. 133(abs44)
McDANIEL, P.A. *see* Dechert and McDaniel, 126(abs16)
McGARIGAL, K. *see* McComb *et al.*, 7-15
McINTOSH, B.A., S.E. CLARKE, and J.R. SEDELL. Historical changes in anadromous fish habitat in the upper Grande Ronde basin. 134(abs45)
MICHNOWSKY, E. *see* Whitfield *et al.*, 1-6
MILLER, J.M. *see* Miller *et al.*, 147-155
MILLER, P.M., L.E. EDDLEMAN, and J.M. MILLER. Influence of vapor pressure deficit and soil moisture on gas exchange of *Juniperus occidentalis*. 147-155
MINORE, D. Effects of partial bark-removal on the growth of Pacific yew. 134(abs46)
Montana
aspen seedlings, Kay, 94-104
MOORHEAD, B.B. *see* Schroer *et al.*, 23-29
moose (*Alces alces*)
estimating diets, MacCracken and Van Ballenberghe, 256-261
habitat and activity, MacCracken and Van Ballenberghe, 133(abs41)
mosquitoes
western treehole (*Aedes sierrensis*) and parasites, Broberg, 125(abs9)

mosses
in coniferous forest, Peck, 136(abs54)
Mount St. Helens, Wa.
mycorrhizae and primary succession, Titus and del Moral, 140(abs70)
vegetation change, Zobel and Antos, 142(abs78)
mountain beaver (*Aplodontia*)
and conspecifics in burrows, Nolte *et al.*, 251-255
nest removal, Campbell and Farley, 126(abs13)
mycorrhizae
and primary succession, Titus and del Moral, 140(abs70)
MYERS, B. *see* Ganskopp *et al.*, 246-250

native people
subsistence hunting in Alaska, Johnson, 273-276
NEWTON, M. *see* McComb *et al.*, 181-188
NOLTE, D.L., G. EPPLE, D.L. CAMPBELL, and J.R. MASON. Response of mountain beaver (*Aplodontia rufa*) to conspecifics in their burrow system. 251-255
NORDSTROM, L.A. *see* Call *et al.*, 125(abs12)
NORRIS, D.H. Bryogeography of the humid Pacific Northwest. 134(abs47)
_____ *see* Wilson *et al.*, 142(abs77)
NORTH, J.A., R.C. BEAMESDERFER, and T.A. RIEN. Distribution and movements of white sturgeon in three lower Columbia River reservoirs. 105-111

oaks (*Quercus*)
Oregon white (*Q. garryana*), seedling development, Hibbs and Yoder, 30-36
OBERTEUFFER, W.H. All age, multiple species forest management. 134(abs48)
obsidian
volcanic glass geochemistry, Hughes, 199-207
O'CONNELL, M.A. *see* Call *et al.*, 125(abs12)
_____ *see* Entz *et al.*, 127(abs20)
O'LAUGHLIN, J. *see* MacCracken and O'Laughlin, 132(abs40)
OLD, R.R. Computer aided plant identification. 135(abs49)
Oregon
ants and logs, Torgersen and Bull, 140(abs71)
bat studies, Cross, 126(abs15)
burrowing owl diets, Green *et al.*, 88-93
Carex working group, Wilson *et al.*, 142(abs77)
Douglas-fir plantation growth rates, Hansen *et al.*, 112-116
elk and parasites, Lagerquist and Foreyt, 196-198
fish of Willamette River, Farr and Ward, 16-22
forest health issues, MacCracken and O'Laughlin, 132(abs40)
jackrabbit forage preferences, Ganskopp *et al.*, 246-250
Oregon white oak seedlings, Hibbs and Yoder, 30-36
Porella species, Wagner, 141(abs75)
pseudo-rock glacier, Schroeder and Carson, 138(abs62)
small mammal and amphibian communities, McComb *et al.*, 181-188
small mammals and amphibians, McComb *et al.*, 7-15
volcanic glass geochemistry, Hughes, 199-207
wintering bald eagles, Isaacs *et al.*, 55-62
OTTERSBERG, R.J., and B.A. YOUTIE. Vegetation and soil patterns in the Imnaha River drainage. 135(abs50)
OVERHULSER, D.L. Defoliators: management and monitoring. 135(abs51)
owls
barred (*Strix varia*) and spotted (*S. occidentalis*), Iverson, 132(abs37)
burrowing (*Speotyto cunicularia*), diets, Green *et al.*, 88-93
spotted, nesting habitat, Martin *et al.*, 133(abs42)

PANIK, H.R., and S. BARRETT. The distribution and abundance of amphibians and reptiles (especially obligate aquatic/riparian) along the Truckee River. 135(abs52)
PARKS, C.A., and G.M. FILIP. Interrelationships of water-stressed grand fir, western spruce budworm, and *Armillaria* root disease. 136(abs53)
PECK, J.E. A survey of coniferous forest mosses along an altitudinal and substrate gradient. 136(abs54)
PERKINS, J.M. Implication and benefits of long term bat monitoring in national forests. 136(abs55)
PERKINS, M. *see* Schommer and Perkins, 138(abs61)
PERLMETER, S. Changing the look of high school biology can students do bats? 136(abs56)
pesticides
new development, Askham, 123(abs2)
pines
Douglas-fir and *Armillaria* root disease, Browning and Edmonds, 37-43
Douglas-fir and mammals and amphibians, McComb *et al.*, 7-15
Douglas-fir plantation growth rates, Hansen *et al.*, 112-116
Douglas-fir stand dynamics, Tucker *et al.*, 140(abs72)
Douglas-fir thinning, Emmingham and Tucker, 27(abs19)
grand fir and water stress, Parks and Filip, 136(abs53)
ponderosa (*Pinus ponderosa*) and *Armillaria*, Reaves *et al.*, 156-162
ponderosa forest management, Busse and Hopkins, 125(abs11)
Porella
in Oregon, Wagner, 141(abs75)
protozoans
Giardia lamblia viability, Bradley, 124(abs8)
methods for *Giardia* detection, Thomas, 139(abs68)

QUINN, R.R. Longterm drought response in scabland wetlands of eastern Washington 1986-1992. 137(abs57)

rabbits
black-tailed jackrabbit forage preferences, Ganskopp *et al.*, 246-250
RAGSDALE, F.R., and A.T. GANNON. Cardiovascular adjustments of the garter snake due to temperature variations. 137(abs58)
REAVES, J.L., C.G. SHAW, and L.F. ROTH. Infection of ponderosa pine trees by *Armillaria ostoyae*: residual inoculum versus contagion. 156-162
redwoods
use by bats, Gellman and Zielinski, 129(abs26)
reptiles
abundance, Panik and Barrett, 135(abs52)
snakes and temperature, Ragsdale and Gannon, 137(abs58)
RHODES, J.J. The USFS's unsound procedure for determining the cumulative effects of land-use on salmon and an alternative approach: "enough is enough". 142(abs79)
RIEN, T.A. *see* North *et al.*, 105-111
RINGGOLD, P.C. *see* Hanley and Ringgold, 131(abs33)
rivers *see* streams
RODMAN, S. *see* Gage and Rodman, 129(abs25)
ROGERS, L.E. *see* Green *et al.*, 88-93
ROSENTRETER, R. Forest canopy lichens of central Idaho. 137(abs59)
ROSS, D.W. Western bark beetle research—past, present, and future. 137(abs60)
_____ *see* Halaj *et al.*, 130(abs32)
ROTH, L.F. *see* Reaves *et al.*, 156-162
ROUSSEAU, N. *see* Whitfield *et al.*, 1-6

RUMBLE, M.A., and S.H. ANDERSON. Macrohabitat associations of Merriam's turkeys in the Black Hills, South Dakota. 238-245

salmon
chinook and chitin digestion, Groberg *et al.*, 130(abs30)
determining land-use effects, Rhodes, 142(abs79)
Sarcocystis
and elk, Lagerquist and Foreyt, 196-198
SCHOMMER, T., and M. PERKINS. Survey protocol and an interim species conservation strategy for *Plecotus townsendii*. 138(abs61)
SCHROEDER, J.O., and R.J. CARSON. Pseudo-rock glacier, Tamarack Mountain, northeastern Oregon. 138(abs62)
SCHROER, G.L., K.J. JENKINS, and B.B. MOORHEAD. Roosevelt elk selection of temperate rain forest seral stages in western Washington. 23-29
scientific journals
usefulness of regional journals, Ware, 208-213
SEDELL, J.R. *see* McIntosh *et al.*, 134(abs45)
SEIDL, M.T., G. WALKER, and J. AMMIRATI. Preliminary observations on macrofungi in old growth sitka spruce forests. 138(abs63)
SEXAUER, H., and P.W. JAMES. A comparison of the microhabitat use by bull trout, *Salvelinus confluentus*, in four eastern Cascade streams, Washington. 138(abs64)
SHAW, C.G. *see* Reaves *et al.*, 156-162
SHELEY, R.L., L.L. LARSON, and D.E. JOHNSON. Germination, radicle elongation, and root growth of two annual grasses, two forage species, and yellow starthistle. 139(abs65)
snakes
garter (*Thamnophis radix*), and temperature, Ragsdale and Gannon, 137(abs58)
SOULÉ, P.T., and G.A. WIGGINS. Effects of race-day weather and topographic severity on performance in duathlon races: inter-race comparisons from the Pacific Northwest. 262-272
South Dakota
Merriam's turkeys, Rumble and Anderson, 238-245
spiders
in forest ecosystems, Halaj *et al.*, 130(abs32)
SPIES, T.A. *see* Gray and Spies, 130(abs29)
STOHLGREN, T.J. Bald eagle winter roost characteristics in Lava Beds National Monument, California. 44-54
STONE, C.S. Vegetation of coastal marshes near Juneau, Alaska. 215-230
streams
and timber harvesting, Gill and Froehlich, 129(abs27)
changes in fish habitat, McIntosh *et al.*, 134(abs45)
fish of Willamette River, Farr and Ward, 16-22
microinvertebrates, Swanger, 139(abs66)
rainfall and, Whitfield *et al.*, 1-6
summer temperatures, Bohle and Beschta, 124(abs6)
sturgeon
white (*Acipenser transmontanus*), distribution, North *et al.*, 105-111
white (*Acipenser transmontanus*), feeding ecology, McCabe *et al.*, 170-180
subsistence hunting
in Alaska, Johnson, 273-276
SULLIVAN, T.P., JIN ZHEN-HAO, LI HELI, and WANG SHOU-CAI. Comparison of small mammal populations and diversity in northeast China and northwest Canada. 189-195
SURBER, S.D. *see* Groberg *et al.*, 130(abs30)
SWANGER, D. The distribution of selected meiobenthic microinvertebrates in northeastern Oregon streams. 139(abs66)
SZIKLAI, O., and Z. FENGCHUN. Tree improvement program in the Langxiang Forestry Bureau, China. 139(abs67)

THOMAS, D.J. Sedimentation characteristics of *Giardia lamblia* cysts and their relevance to standard methods for detection of *Giardia* in water. 139(abs68)
THOMPSON, L. *see* Bishop *et al.*, 123(abs4)
TIEDEMANN, A.R., and J.O. KLEMMEDSON. Influence of western juniper development on soil nutrient availability. 140(abs69)
TITUS, J.H., and R. DEL MORAL. Vesicular-arbuscular mycorrhizae and primary succession on Mount St. Helens. 140(abs70)
TORGERSEN, T.R. *see* Halaj *et al.*, 130(abs32)
TORGERSEN, T.R., and E.L. BULL. Characteristics of logs utilized by ants in pileated woodpecker home ranges in northeastern Oregon. 140(abs71)
trout
bull (*Salvelinus confluentus*) microhabitat use, Sexauer and James, 138(abs64)
food habits, Urakawa and James, 141(abs73)
lake (*Salvelinus namaycush*) in Alaska, Burr, 78-87
TUCKER, G.F. *see* Emmingham and Tucker, 127(abs19)
TUCKER, G.F., S.R. JOHNSTON, W.H. EMMINGHAM, and K.G. MAAS. Simulated stand dynamics of young Douglas-fir plantations thinned to enhance structural diversity. 140(abs72)
turkeys
Merriam's (*Meleagris gallopavo*) in South Dakota, Rumble and Anderson, 238-245

URAKAWA, M.S., and P.W. JAMES. A comparison of the food habits of wild rainbow trout and hatchery-reared steelhead trout in the Yakima River basin. 141(abs73)

VAN BALLENBERGHE, V. *see* MacCracken and Van Ballenberghe, 133(abs41)
_____ *see* MacCracken and Van Ballenberghe, 256-261

W-waves
evidence, Wagner, 141(abs76)
WAGNER, D.H. Flowering and vegetative phenology of the black cottonwood (*Populus trichocarpa*) in the Willamette valley, Oregon. 141(abs74)
_____ The genus *Porella* in Oregon. 141(abs75)
WAGNER, O.E. Evidence for longitudinal waves in plants and elsewhere (W-waves). 141(abs76)
WALKER, G. *see* Seidl *et al.*, 138(abs63)
WANG SHOU-CAI, *see* Sullivan *et al.*, 189-195
WARD, D.L. *see* Farr and Ward, 16-22
WARE, S. Prestige and impact vs. usefulness in biological journals or am I just a regional kind of guy? 208-213
Washington
alpine lichen communities, Glew, 129(abs28)
burrowing owl diets, Green *et al.*, 88-93
centenary survey of flora, Gage and Rodman, 129(abs25)
Douglas-fir and *Armillaria* root disease, Browning and Edmonds, 37-43
human disturbance of prairies, Clampitt, 163-169
interaction of owls, Iverson, 132(abs37)
peregrine falcon habitat, Dobler, 231-237
Roosevelt elk, Schroer *et al.*, 23-29
scabland wetlands and drought, Quinn, 137(abs57)
spotted owl nesting habitat, Martin *et al.*, 133(abs42)
trout microhabitat use, Sexauer and James, 138(abs64)
WHITFIELD, P.H., N. ROUSSEAU, and E. MICHNOWSKY. Rainfall induced changes in chemistry of a British Columbia coastal stream. 1-6
WIGGINS, G.A. *see* Soulé and Wiggins, 262-272

WILSON, B., D.H. NORRIS, and P.F. ZIKA. Carex working group at Oregon State University. 142(abs77)
WOODWARD, J. *see* Bishop *et al.*, 123(abs4)
Wyoming
aspen seedlings, Kay, 94-104

yews
bark removal of Pacific yew (*Taxus brevifolia*), Minore, 134(abs46)
YODER, B.J. *see* Hibbs and Yoder, 30-36
YOUNG, J.A. *see* Huff *et al.*, 131(abs36)
YOUTIE, B.A. *see* Ottersberg and Youtie, 135(abs50)

ZIELINSKI, W.J. *see* Gellman and Zielinski, 129(abs26)
ZIKA, P.F. *see* Wilson *et al.*, 142(abs77)
ZOBEL, D.B., and J.A. ANTOS. Components of vegetation change during ten years after tephra burial at Mount St. Helens. 142(abs78)